

To: Enck, Judith[Enck.Judith@epa.gov]
From: Azzam, Nidal
Sent: Tue 1/5/2016 6:44:01 PM
Subject: RE: Hoosick falls

Judith,

Thank you. I have also enjoyed yesterday's presentation and I would like to bring to your attention that the McCaffrey Street facility also has Tower room/Stacks. This was noted on an aerial photo that was previously provided to us (I am unsure how accurate the photo is, but worth noting). The stacks are near the location that exhibited 16,000 to 18,000 ppt in the on-site MW-02. Even though the McCaffrey Street facility never had a Title V air permit, air emission could still be a plausible contaminant transport pathway.

Nidal Azzam,
Base Program Management Section, Chief

Hazardous Waste Programs Branch

Clean Air and Sustainability Division

USEPA Region 2
290 Broadway, 22nd Floor
New York, NY 10007
212-637-3748 Office
212-637-4437 Fax



From: Enck, Judith
Sent: Monday, January 04, 2016 5:11 PM
To: Simon, Paul <Simon.Paul@epa.gov>; Schaaf, Eric <Schaaf.Eric@epa.gov>; McCabe, Catherine <McCabe.Catherine@epa.gov>; LaPosta, Dore <LaPosta.Dore@epa.gov>; Evangelista, Pat <Evangelista.Pat@epa.gov>; Matthews, Joan <Matthews.Joan@epa.gov>; Chester, Amy <Chester.Amy@epa.gov>; Mugdan, Walter <Mugdan.Walter@epa.gov>; Rotola,

Joe <Rotola.Joe@epa.gov>; Azzam, Nidal <Azzam.Nidal@epa.gov>; Plevin, Lisa
<Plevin.Lisa@epa.gov>
Subject: Hoosick falls

Sent from my iPhone

Begin forwarded message:

From: "Gibson, Christopher" <cgibson@archerlaw.com>
Date: January 4, 2016 at 4:41:18 PM EST
To: "'Enck.judith@epa.gov'" <Enck.judith@epa.gov>, "'Simon.paul@epa.gov'"
<Simon.paul@epa.gov>
Cc: "Richard J. Zahnleuter (richard.zahnleuter@health.ny.gov)"
<richard.zahnleuter@health.ny.gov>, 'Thomas Ulasewicz' <TAU@fmbf-law.com>, "Edelstein, David F." <dedelstein@archerlaw.com>

Dear Ms. Enck and Mr. Simon:

Attached is a letter from Saint-Gobain Performance Plastics (SGPP) regarding the situation with the public water supply in the Village of Hoosick Falls and, specifically, what SGPP, the DOH and the Village have been doing to address this situation. SGPP requests the opportunity to meet with Region 2 prior to EPA's public meeting on January 14 in the Village. Thank you and Happy New Year.

Christopher R. Gibson, Esq.

One Centennial Square
Haddonfield, NJ 08033
Direct Dial: 856-354-3077
Fax: 856-673-7077
cgibson@archerlaw.com
www.archerlaw.com

Archer & Greiner, P.C.
Attorneys at Law

INFORMATION CONTAINED IN THIS E-MAIL TRANSMISSION IS PRIVILEGED AND CONFIDENTIAL. IF YOU ARE NOT THE INTENDED RECIPIENT OF THIS EMAIL, DO NOT READ, DISTRIBUTE OR REPRODUCE THIS TRANSMISSION (INCLUDING ANY ATTACHMENTS). IF YOU HAVE RECEIVED THIS E-MAIL IN ERROR, PLEASE IMMEDIATELY NOTIFY THE SENDER BY TELEPHONE OR EMAIL REPLY.